


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 8503
TRUNK HIGHWAY 43
COUNTY Winona
DISTRICT 6A

LIMITS: In Winona
Jct. T.H. 61 - S. end of Pr. 5930 (Mississippi River)



YEAR BUILT	PROJECT NO.	DESCRIPTION			CODE NO.
		TYPE	WIDTH	THICKNESS	
		Brick	7.0'		No Record of Const. Added in 1934
1941	8503-06	Grading	44'		
1942	8503-01	Grading & Concrete	44'	9-7-9	22' Rdways (0.07 Mi)
	8503-02	Br. 5900	27'		22.78' H.T.
	8503-09	Brick (0.14 Mi.) Mixed Bit. (0.07 Mi.)			City St. (4th St.) Taken over in 1942 No Record of Const.
1943	8503-07	Concrete	24'	9-7-9	
1949	A.F.E. 25	Bit. Resurfacing Plant Mix Bit.	40'	1 1/2"	AC-1, 2410 Tons 0.78 Mi. on old Brick
1953	A.F.E. 605	Light Bit. Seal			RC52, 4483 Gal. Agg. 170 C.Y.
1954	8503-19	Painting Br. 5900			
1929	61-3-35-3A & B	Concrete	24'	9-7-9	
1936	61-3-35-3C	Concrete	48'	9-7-9	20' Conc. imp. Widened to 40' from Mt. Pt. 0.47-0.57
1957	A.F.E. 605	Bit. Seal Coat			RT-10, 4446 Gal. Agg. 218 C.Y.
1961	8503-20	Traffic Signals			
1964	c	Light Bit. Seal	Var.		RS-2K, 2530 Gal. Agg. 96 C.Y.
1966	C & SF	Bit. Surf. Repair Light Bit. Seal	24'	1 1/2"	CRS-2, 6188 Gal. Agg. 532 Tons



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1934	1941	0.78	0.00	0.00	0.78	0.00	0.00	0.00	0.78	0.00
1942	1956	1.48	0.00	0.00	1.05	0.43	0.00	0.00	1.05	0.43
1957		3.13	0.00	0.00	2.70	0.43	0.00	0.00	2.70	0.43

REMARKS: Layout to scale as of 1942


PREPARED BY
TRAFFIC AND PLANNING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD


CONTROL SECTION 8503
TRUNK HIGHWAY 49
COUNTY Winona
MAINTENANCE DISTRICT 6A

LIMITS: In Winona - Jct. T.H. 61 - South End of Br. 5930 (Miss. River)

Ref. Pt. 042+00.100 - 045+00.239



YEAR BUILT	PROJECT NO.	DESCRIPTION			
		TYPE	WIDTH	THICKNESS	REMARKS
M 1972	SF	Spot Surface Repair	60'	1 1/2"	Bit. Mix 324 tons
C 1977	8503-27	GRADING Pl. Mix Bit. Surf. CURBS	62'	2 1/4"	40' CONC. IMP. WIDENED To 62'
C 1977	8503-26	GRADE & BASE Pl. Mix Bit. Surf. CURB TO CURB		2 1/4"	
M 1980	SF	Bit. Overlay	50'	1"	424 Ton Task 212
C 1982	8503-28	Grading, Base Bit Surfacing Curb & Gutter	44'	7" 2 1/4"	
C 1982	8503-28	Traffic Control Signals			T.H. 43 at Broadway, 5th St. & 4th St.
M 1986	SF	Spot Overlay		1"	Spec. 2361
C 1986	8503-31	Grading Conc. Surfacing	Var.	9"	
C 1988	8503-32	Grading Bit. Surfacing	48'	4" 1"	Spec. 2331 Spec. 2341
C 1991	8503-33	Grading Bit. Surfacing	44'	2 1/2" 1 1/2" 1"	Spec. 2331 Spec. 2341 Spec. 2361
C 1993	M93171	Mill & Bit. Overlay	Var.	2"	Spec. 2341
M 1997	8503-95081	Major Crack Repair			
C 1997	8503-36	Grading Agg. Base Bit. Surfacing	28' 24' 24'	7" Var.	Class 5 Spec. 2341, 2347
M 1998	8503-40	Milling & Bit. Overlay	48'	1 1/2"	Spec. 2350



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.


REMARKS: See Sheet 1

PREPARED BY
 BUREAU OF POLICY & PLANNING
 IN COOPERATION WITH
 U. S. DEPARTMENT OF TRANSPORTATION - FEDERAL HIGHWAY ADMINISTRATION


STATE OF MINNESOTA
 DEPARTMENT OF TRANSPORTATION
 CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 8503
 TRUNK HIGHWAY 43
 COUNTY Winona
 DISTRICT 6A

LIMITS: Jct. T.H. 61 - South End of Br. 5930 (Miss. River)
 Ref. Pt. 042+00.100 - 045+00.239



YEAR BUILT	PROJECT No	DESCRIPTION				REMARKS
		TYPE	WIDTH	THICKNESS		
C	2003 8503-41	Mill & Bit Overlay	62'	1.5"	Spec 2360	
C	2005 8503-42	Milling & Bituminous Overlay	48'	1.5"	Spec 2360	
M	2008 8503-44	Crack Seal			Type 3723	
C	2019 8503-46C	Grading Bit. Paving Rehab Br.5900	var.	8"	12" agg. base cl.6 ADA NB	



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: